

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L8	102775	(compar\$3 or comparison or comparator or evaluat\$3) near3 (reference or sample) near2 (value or data or packet or message or signal)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/09 08:43
L9	345137	(transmit\$4 or send\$3 or forward\$3 or receiv\$3 or stor\$3) near3 (reference or sample)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/09 08:43
L10	3802140	(video or audio or voice or media or (real-time) or (real adj time) or RTP)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/09 08:43
L11	15873	L8 L9 L10	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/09 08:43
L12	1283	L11 ((generat\$3 or creat\$3 or produc\$3) near5 (algorithm))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/09 08:43
L13	110042	"370"/\$.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/09 08:43
L14	64	L13 and L12	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/09 08:48
L15	1	14 ((media near transport near protocol) or (mtp))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/09 08:49

EAST Search History

L16	9472	((media near transport near protocol) or (mtp))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/09 09:00
L17	37	16 and 11	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/09 08:50
L18	1739	370/241.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/09 08:52
L19	11	16 and 18	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/09 08:51
L20	970	370/242.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/09 08:52
L21	3701	370/252.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/09 08:52
L22	416	370/255.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/09 08:52
L23	5	16 and 20	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/09 08:52

EAST Search History

L24	17	16 same ((picture or clip) near2 (transfer\$3))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/09 08:55
L25	57	16 same ((picture or clip))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/09 08:55
L26	20	((media near transport near protocol) or (mtp)) same (codec or "G.7"\$3)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/09 09:08
L27	12	((media near transport near protocol) or (mtp)) same ("G.7"\$3)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/09 09:08
L28	0	((media near transport near protocol) or (mtp)) same2 ("G.7"\$3)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/09 09:09
L29	165	((media near transport near protocol) or (mtp)) and ("G.7"\$3)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/09 09:09
L30	4	(US-20050047423-\$).did. or (US-5872775-\$ or US-6434168-\$ or US-6046780-\$).did.	US-PGPUB; USPAT	OR	ON	2007/07/09 09:16
L31	3	30 (video)	US-PGPUB; USPAT	AND	ON	2007/07/09 09:16
L32	30671	(compar\$3 or comparison or comparator) same (reference and (video or voice))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/09 09:29

EAST Search History

L33	215	(compar\$3 or comparison or comparator) same (reference and ((video or voice) near2 (clip)))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/09 09:33
L34	74	(compar\$3 or comparison or comparator) same (reference and ((video or voice) near2 (clips)))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/09 09:44
L35	9054	(select\$3 or identify\$3 or indicat\$3 or calculate\$3 or detect\$3 or choos\$3 or determine\$3) near4 (number near2 (match\$3 or identical))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/09 09:45
L36	190	(select\$3 or identify\$3 or indicat\$3 or calculate\$3 or detect\$3 or choos\$3 or determine\$3) near3 (match\$3 or identical) near2 (greater or higher or more or bigger or better or larger or equal) near3 (predetermin\$3 or preset or threshold or limit)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/09 09:51
L37	23	(select\$3 or identify\$3 or indicat\$3 or calculate\$3 or detect\$3 or choos\$3 or determine\$3) near3 (number near2 (match\$3 or identical)) near2 (greater or higher or more or bigger or better or larger or equal) near3 (predetermin\$3 or preset or threshold or limit)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/09 09:53
L38	83	(select\$3 or identify\$3 or indicat\$3 or calculate\$3 or detect\$3 or choos\$3 or determine\$3) near3 ((number or value or level or state) near2 (match\$3 or identical)) near2 (greater or higher or more or bigger or better or larger or equal) near3 (predetermin\$3 or preset or threshold or limit)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/09 09:54

EAST Search History

L39	74	(select\$3 or identify\$3 or indicat\$3 or calculate\$3 or detect\$3 or choos\$3 or determines\$3) near3 ((number or value or level or state) near2 (match\$3 or identical)) near2 (greater or higher or more or bigger or better or larger or equal) near3 (predetermin\$3 or preset or threshold or limit) same (map\$4 or copy\$3 or writ\$3 or match\$3)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/09 09:56
L40	102	(algorithm or technique) near3 (accord\$3 or based or correspond\$3 or respective or associat\$3 or depend\$3) near3 (codec or "G.7"\$3)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/09 10:22
L41	0	reference near2 (algorithm or technique) near3 (accord\$3 or based or correspond\$3 or respective or associat\$3 or depend\$3) near3 (codec or "G.7"\$3)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/09 10:23
L42	102	(algorithms or technique) near3 (accord\$3 or based or correspond\$3 or respective or associat\$3 or depend\$3) near3 (codec or "G.7"\$3)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/09 10:23
L43	32	(algorithms or technique) near3 (accord\$3 or based or correspond\$3 or respective or associat\$3 or depend\$3) near3 (codec or "G.7"\$3)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	OFF	2007/07/09 10:34
L44	1	10/766293	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	OFF	2007/07/09 10:36
L45	136	silens\$2 near2 algorithm	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	OFF	2007/07/09 10:37

EAST Search History

L46	20	(silen\$2 near2 algorithm) same ((period or interval or section) near2 (silen\$2))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	OFF	2007/07/09 10:39
L47	135	(algorithm) same ((period or interval or section) near2 (silen\$2))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	OFF	2007/07/09 10:46
L48	87977	(transmission or transmit\$4 or receiv\$3) near3 (video or voice or data) same (TCP or UDP or RTP or protocol)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	OFF	2007/07/09 10:48
L50	114588	(transmission or transmit\$4 or receiv\$3) near3 (video or voice or data or packet or frame) same (TCP or UDP or RTP or protocol)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/09 10:49
L51	41	47 and 50	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/09 10:49
L52	114	"G.711" near4 algorithm	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/09 11:44
L53	10	algorithm near4 (byte near2 locat\$3)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/09 11:47
L54	63	algorithm near4 ((byte or bit) near2 locat\$3)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/09 11:47

EAST Search History

L55	3	(algorithm with extractor) same (select\$3 or identify\$3 or indicat\$3 or calculate\$3 or detect\$3 or choos\$3 or determine\$3) near4 (silen\$3 or match\$3)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/09 12:35
L56	2	"20030063566"	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/09 16:42
L57	2	"20030007459"	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/09 16:43
L58	2	("6480467").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/09 16:43
L59	2	("6944123").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/09 16:43
S1	102743	(compar\$3 or comparison or comparator or evaluat\$3) near3 (reference or sample) near2 (value or data or packet or message or signal)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/07 14:14
S2	344999	(transmit\$4 or send\$3 or forward\$3 or receiv\$3 or stor\$3) near3 (reference or sample)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/07 14:15
S3	3796848	(video or audio or voice or media or (real-time) or (real adj time) or RTP)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/07 14:16

EAST Search History

S4	15872	S1 S2 S3	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/07 14:16
S5	1283	S4 ((generat\$3 or creat\$3 or produc\$3) near5 (algorithm))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/07 14:52
S6	110042	"370"/\$.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/07 14:17
S7	64	S6 and S5	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/09 08:43
S8	0	S4 ((generat\$3 or creat\$3 or produc\$3) near3 (ratio) near5 (algorithm))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/07 14:53
S9	144	((generat\$3 or creat\$3 or produc\$3) near3 (ratio) near5 (algorithm))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/07 14:53
S10	1	10/766293	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/07 15:06

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	10/766293	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/05 16:58
S2	9877	(reference or test\$3 or sample) near2 packet	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/05 17:00
S3	22960	((select\$3 or identify\$3 or indicat\$3 or detect\$3 or choos\$3 or determin\$3) near3 (algorithm or technique)) with (generat\$5 or separate\$5 or conver\$4 or assembl\$5 or reassembl\$5 or translat\$8)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/05 17:04
S4	5373611	(compare\$3 or comparison or comparator or evaluat\$3 or measure\$4)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/05 17:05
S5	5531059	(compar\$3 or comparison or comparator or evaluat\$3 or measure\$4)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/05 17:07
S6	208	S2 S3 S5	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/06 08:18
S7	2	"20010001268"	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/05 17:18
S8	2	"20010024436"	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/05 17:18

EAST Search History

S9	2	"20010037442"	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/05 17:18
S10	2	("6330660").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/05 17:19
S11	2	"20020054588"	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/05 17:19
S12	2	"20030081590"	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/05 17:19
S13	2	"20040022237"	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/05 17:20
S14	2	"20040125791"	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/05 17:21
S15	2	("6927878").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/05 17:21
S16	3	"20050200891"	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/05 17:21

EAST Search History

S17	2	("6996094").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/05 17:22
S18	2	("7051083").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/05 17:22
S19	2	("7068644").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/05 17:22
S20	9877	(reference or test\$3 or sample) near2 packet	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/06 08:18
S21	22960	((select\$3 or identify\$3 or indicat\$3 or detect\$3 or choos\$3 or determin\$3) near3 (algorithm or technique)) with (generat\$5 or separate\$5 or conver\$4 or assembl\$5 or reassembl\$5 or translat\$8)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/06 09:48
S22	5531059	(compar\$3 or comparison or comparator or evaluat\$3 or measure\$4)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/06 08:20
S23	208	S20 S21 S22	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/06 12:38
S24	1091	370/216.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/06 08:20

EAST Search History

S25	1739	370/241.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/06 08:20
S27	970	370/242.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/06 08:21
S28	3701	370/252.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/06 08:21
S29	416	370/255.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/06 08:21
S30	2	S23 and S24	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/06 08:55
S31	208	S23 and "6"	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/06 08:56
S32	208	S23 and "7"	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/06 08:56
S33	2	S23 and S25	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/06 09:46

EAST Search History

S34	208	S23 and S26	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/06 09:46
S35	0	S23 and S27	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/06 09:46
S36	4	S23 and S28	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/06 09:46
S37	61605	((select\$3 or identify\$3 or indicat\$3 or detect\$3 or choos\$3 or determin\$3) near3 (algorithm or pattern or technique)) with (generat\$5 or separate\$5 or conver\$4 or assembl\$5 or reassembl\$5 or translat\$8)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/06 09:49
S38	45729	S37 and S22	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/06 09:49
S39	2	("5477531").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/06 10:02
S40	28	S25 and S38	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/06 12:39
S41	9877	(reference or test\$3 or sample) near2 packet	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/06 12:38

EAST Search History

S42	22960	((select\$3 or identify\$3 or indicat\$3 or detect\$3 or choos\$3 or determin\$3) near3 (algorithm or technique)) with (generat\$5 or separate\$5 or conver\$4 or assembl\$5 or reassembl\$5 or translat\$8)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/06 12:38
S43	5531059	(compar\$3 or comparison or comparator or evaluat\$3 or measure\$4)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/06 12:38
S44	208	S41 S42 S43	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/06 12:38
S45	1739	370/241.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/06 12:39
S46	61605	((select\$3 or identify\$3 or indicat\$3 or detect\$3 or choos\$3 or determin\$3) near3 (algorithm or pattern or technique)) with (generat\$5 or separate\$5 or conver\$4 or assembl\$5 or reassembl\$5 or translat\$8)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/06 12:39
S47	45729	S46 and S43	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/06 12:41
S48	28	S45 and S47	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/06 12:39
S49	29798	S47 (video or audio or voice or media or (real adj time) or RTP)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/06 12:42

EAST Search History

S50	9454	S49 (protocol or TCP or UDP or RTP)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/06 12:43
S51	16	S50 and S45	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/06 14:25